

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

MAPCO Production Company

3. ADDRESS OF OPERATOR

1643 Lewis Ave., Ste. 202, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface 2022' FSL & 621' FEL, NE SE

At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

20 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

621'

16. NO. OF ACRES IN LEASE

2240

17. NO. OF ACRES ASSIGNED
TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

2700'

19. PROPOSED DEPTH

6475

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5243' GL

22. APPROX. DATE WORK WILL START*

6-82

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cmt to surface
7-7/8"	5-1/2"	17#	6475'	Cmt to surface

1. Drill a 12-1/4" hole with an air rig to 400'. Run 8-5/8", 24#, K-55 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6475' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
5. Run logs. Set 5-1/2", 17# K-55 and N80 casing as dictated by drilling shows, tests and logs. Release drilling rig. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Upper Wasatch and Chapita Wells sections of the Wasatch.
7. RU completion rig to test in a normal, prudent manner, all zones that indicate a potential for economically, recoverable reserves.
(See back for log tops)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED R. E. Baumann TITLE Engr. Tech. DATE 12-29-81
R. E. Baumann

(This space for Federal or State office use)

PERMIT NO. _____

APPROVAL DATE _____

APPROVED BY _____

TITLE _____


CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MININGDATE: 1/12/82BY: B. J. Smith

*See Instructions On Reverse Side

MAPCO, INC. -
WELL LOCATION PLAT
R.B.U. 9-23E

LOCATED THE NE $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ OF
 SECTION 23, T10S, R19E, S.L.B.&M.



SCALE: 1"=1000'

Exhibit 17

LEGEND & NOTES


- ◆ FOUND ORIGINAL CORNER MONUMENTS
 USED FOR THIS SURVEY.

THE GENERAL LAND OFFICE PLAT WAS USED
 FOR REFERENCE AND CALCULATIONS.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared
 from field notes of an actual survey
 performed by me, during which the shown
 monuments were found or established.

Jerry D. Allred
 Jerry D. Allred, Registered Land
 Surveyor, Cert. No. 3817 (Utah)




JERRY D. ALLRED & ASSOCIATES
 Surveying & Engineering Consultants

121 North Center Street
 P.O. Drawer C
 DUCHESNE, UTAH 84021
 (801) 738-5352

18 Dec. '81

79-128-078



TEN-POINT COMPLIANCE PROGRAM OF NTL-6
APPROVAL OF OPERATIONS

Attached to Form 9-331C

Company: MAPCO Production Company

Well: RBU 9-23E

Well Location: 2022' FSL & 621' FEL

Section: 23 Township: 10S Range: 19E

County: Uintah State: Utah

1. Geologic Surface Formation

UINTAH

2. Estimated Important Geologic Markers

<u>Formation</u>	<u>Depth</u>
Uintah	Surface
Green River	1202'
Wasatch	4617'
Chapita Wells	5297'
Uteland Buttes	6372'

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Chapita Wells	5297	Gas Zone

4. The Proposed Casing Program

<u>Size of Casing</u>	<u>Weight & Grade</u>	<u>Setting Depth</u>	<u>Quantity of Cement</u>
8-5/8"	24# K-55	400'±	Cement to Surface
5-1/2"	17# K-55 & N80	6475'	Cement to Surface

5. The Operator's Minimum Specifications for Pressure Control

See Figure #1, attached.

BOP stack has a 3000 psi working pressure. BOP's will be pressure tested before drilling casing cement plugs.

Pipe rams will be operated daily and blind rams as possible.

6. The Type and Characteristics of the Proposed Circulating Muds

The well is to be drilled with a salt water mud system maintaining a weight of approximately 9#/gal with weighting material on location sufficient to weight-up for pressure control.

7. The Auxiliary Equipment to be Used

- 1.) Kelly cock.
- 2.) Full opening valve on floor with DP connection for use when Kelly is not in string.
- 3.) Pit volume totalizer equipment will be used.

8. The Testing, Logging, and Coring Programs to be Followed

A two (2) man mud logging unit will be in operation from surface to T.D. The following open hole logs will be run:

- 1.) GR-DLL
- 2.) FDC-CNL-Caliper

Exact logging detail and procedures will be prepared prior to reaching logging depth.

9. Any Anticipated Abnormal Pressures or Temperatures Expected


No abnormal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas.

10. The Anticipated Starting Date and Duration of the Operations

Starting Date: 6-82

Duration: 14 days

BOP STACK



CHOKE MANIFOLD




FIGURE 1

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

Attached to Form 9-331C

COMPANY: MAPCO Production Company

WELL: RBU 9-23E

WELL LOCATION: 2022' FSL & 621' FEL

Section: 23 Township: 10S Range: 19E

County: Uintah State: Utah

1. Existing Roads

- A. The proposed well site and elevation plat is shown as Exhibit A.
- B. Location is as shown in Exhibit B.
- C. An access road of about 1/2 mile will be needed to reach the location from the existing road as shown in Exhibit B.
- D. All existing roads are shown on Exhibit B.
- E. There is no anticipated construction on any existing roads.

2. Planned Access Roads

- 1. Width: Maximum of 30' right-of-way with road bed being approximately 16'-18', and remainder of right-of-way to be used for barrow ditches.
- 2. Maximum grade: 8%
- 3. Turnouts: None
- 4. Drainage design: Drain ditches along either side of the road, where necessary for drainage with material from barrow ditch used to build crown of road.
- 5. Culverts: None
- 6. Surface materials: Native dirt.
- 7. Gates, cattleguards, fence cuts: None

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

Well: RBU 9-23E

Page 2

3. Location of Existing Wells

All existing wells known in the area are shown directly on Exhibit B within the one-mile radius.

- A. Water wells: None
- B. Abandoned wells: None
- C. Temporarily abandoned wells: None
- D. Disposal wells: None
- E. Drilling wells: None
- F. Producing wells: RBU 11-23E
- G. Shut-in wells: RBU 11-24E, RBU 11-22E, RBU 1-22E, RBU 1-23E
- H. Injection wells: None
- I. Monitoring or observation wells: None

4. Location of Existing and/or Proposed Facilities

- A. The location of existing and/or proposed facilities, if any, owned or controlled by lessee/operator within the 1-mile radius will be shown on Exhibit B.
 - 1. Tank Batteries: None
 - 2. Production facilities: RBU 11-23E
 - 3. Oil gathering lines: None
 - 4. Gas gathering lines: (-----)as shown on Exhibit B
 - 5. Injection lines: None
 - 6. Disposal lines: None
- B. It is contemplated that, in the event of production, all new facilities will be easily accommodated on the drill pad on the solid base of cut and not placed on the fill areas.
 - 1. No flagging then will be needed.

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

Well: RBU 9-23E

Page 3

2. The dimensions of the production facilities and the location of facilities is drafted on Exhibit C. If production is obtained, then the unused areas will be restored as later described.
 3. Concrete as needed and any gravels needed will be purchased from private sources.
 4. All pits will be fenced to minimize any hazard to sheep, cattle, antelope and other animals that graze the area. Flagging material will be used as needed, if water or other fluid is produced.
- C. Rehabilitation, whether the well is productive or dry, will be accomplished as soon as possible in those areas already described, and in accordance with Item 10 following.

5. Water Supply

Water source is shown on Exhibit D.

- A. Water will be hauled from Willow Creek or other permitted locations.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Exhibit D.
- C. No water well is anticipated to be drilled at this time.

6. Source of Construction Materials

- A. No construction material, insofar as drilling, will be needed.
- B. No construction materials will be obtained from Federal or Indian land.
- C. The native materials that will be used in the construction of this location site and access road will consist of sandy-clay soils and sandstone and shale materials gathered in actual construction of the road and location.
- D. Access roads crossing Federal lands are shown under Items 1 and 2.

7. Handling Waste Disposals

- A. Drill cuttings will be buried in the reserve pit when covered.
- B. Drilling fluids will be handled in the reserve pit.
- C. Any produced fluids during drilling tests or while making production tests will be collected in reserve pit.

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

Well: RBU 9-23E

Page 4

- D. Any sewage will be covered or removed and chemical toilets will be provided.
- E. Garbage and other waste material will be enclosed in a wire mesh container, and then disposed of in an approved waste disposal facility.
- F. After the rig moves out, all materials will be cleaned up and no adverse materials will be left on location. Any dangerous open pit will be fenced or covered.

8. Ancillary Facilities

No proposed airstrip, camp, or other facility will be constructed during the drilling or completion of this well.

9. Well Site Layout

- A. Exhibit E is the drill pad layout on a scale of 1" = 40'.
- B. & C. Exhibit E is a layout of the drilling rig, pits, and burn pits. Parking and trailers will be along the W side of the area as shown. The access road will be from the W. Soil stockpiles are also shown on Exhibit E.
- D. The reserve pit will not be lined. Steel mud pits may be used, at least in part, during drilling operations.

10. Plans for Restoration

- A. Backfilling, leveling and gentle sloping is planned and will be accomplished as soon as possible after plugging or setting of production casing. Waste disposal and spoils materials will be buried or hauled away immediately after operations cease from drilling and/or completion.
- B. The soil banked materials will be spread over the area and gentle sloping or contouring to meet the existing terrain. Revegetation will be by planting of native vegetation to the area or some other combination as recommended by The Bureau of Land Management.

The access road to the drill pad will be revegetated, if needed. Any damage to present existing roads will be repaired as needed.

- C. Prior to rig release, the pits will be fenced on the fourth side and so maintained until cleanup is accomplished. The reserve pit will have fencing on three sides during drilling.

- D. If any oil is on the pits, and is not immediately removed after operations cease, then the pit will be flagged overhead to keep birds and fowl out.
- E. The commencement of rehabilitation operations will begin as soon as possible after drilling ceases. Planting will be planned as suggested by BLM.

11. Other Information

- A. Topography: See Notes on Exhibit E

Soil Characteristics and Geologic features: The soils of this semi-arid area are of the Uinta and Duchesne River formation (The Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravel surfaces) and the visible geologic structures consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poorly graded gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates and shales).

Flora: Areas of sagebrush, rabbitbrush, some grasses and cacti, and large areas of bare soils devoid of any growth.

Fauna: Is sparse but consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to the area. Birds of the area are raptors, finches, ground sparrows, magpies, crows and jays.

- B. Type of surface use activity: Primary purpose is grazing domestic livestock.

Surface ownership of all involved lands: BLM

- C. Proximity of useable water (Shown on Exhibit D):

Occupied dwellings (if any, shown on Exhibit B): None

Archaeological or historical sites (if any, shown on Exhibit B):

NA None needed. Please refer to AERC Paper No. 18, MAPCO River Bend Cultural Mitigation Study.

12. Lessee's or Operator's Representative

James D. Holliman
Manager of Operations
MAPCO Production Company
Alpine Executive Center
1643 Lewis Ave., Suite 202
Billings, Montana 59102

or

Dennis J. Brabec
Regional Drilling Superintendent
MAPCO Production Company
Alpine Executive Center
1643 Lewis Ave., Suite 202
Billings, Montana 59102

Phone: (406) 248-7406
or
(406) 656-8435

Phone: (406) 248-7406
or
962-3138

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the condition which presently exists; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by MAPCO PRODUCTION COMPANY and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

DATE

12-29-81

NAME

James D. Holliman

Manager of Operations
TITLE

Subject		Date	
		Sheet	of
		By	

EXHIBIT C

2-3/8", 4.7#, J-55 Tbg. →

Flowline buried from wellhead to separator.

160'

Completely housed 3 phase separator. Metering system is a 3" Daniels Simplex Meter Run with Model 202A Barton Meter with 3 pen recorder. Barton Meter has 0-150° F thermometer and 100"-1000# spring. Production meter will be calibrated in place prior to any deliveries.

Pit fenced with wire mesh.

1", 1.72#/ft, J-55 Seamless Tbg.

50' PIT

50'

← WATER

Separator

CONDENSATE →

1", 1.72#/ft, J-55, Seamless Tbg. 300 Bbl. Tank

100'

Blowdown line
2-3/8", 4.7#, J-55
60'

Flowline laid on surface & tied down at separator and at edge of location as shown below.

Tie-down Diagram

9" diameter hole drilled by rathole driller


Cement


5 1/2" Casing

Flowline clamped to steel bar
Welded to casing

3-4'

3 sucker rods 6" apart at 90° angles to each other







NOTES

THE LOCATION IS LOCATED AT THE EASTERN FOOT OF LOW HILL WITH A GENERAL DRAINAGE EASTERLY TOWARD WILLOW CREEK.

THE SOIL IS COMPOSED OF WEATHERED SANDSTONE AND SHALE.






APPROXIMATE QUANTITIES


CUT: 11,530 Cu. Yds.

FILL: 1,600 Cu. Yds.



KEYWAY A-A

Exhibit E



JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street
P.O. Drawer C

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

MAPCO Production Company

3. ADDRESS OF OPERATOR

1643 Lewis Ave., Ste. 202, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface 2022' FSL & 621' FEL, NE SE

At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

20 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

621'

16. NO. OF ACRES IN LEASE

2240

17. NO. OF ACRES ASSIGNED
TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

2700'

19. PROPOSED DEPTH

6475

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5243' GL

22. APPROX. DATE WORK WILL START*

6-82

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cmt to surface
7-7/8"	5-1/2"	17#	6475'	Cmt to surface

1. Drill a 12-1/4" hole with an air rig to 400'. Run 8-5/8", 24#, K-55 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6475' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
5. Run logs. Set 5-1/2", 17# K-55 and N80 casing as dictated by drilling shows, tests and logs. Release drilling rig. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Upper Wasatch and Chapita Wells sections of the Wasatch.
7. RU completion rig to test in a normal, prudent manner, all zones that indicate a potential for economically, recoverable reserves.
(See back for log tops)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

R. E. Baumann
R. E. Baumann

TITLE

Engr. Tech.

DATE

12-29-81

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

W. J. Martin

TITLE

E. W. Guynn

District Oil & Gas Supervisor

DATE

FEB 17 1982

CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

*See Instructions On Reverse Side
CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

FLARING OR VENTING OF
GAS IS SUBJECT TO NTL 4-A
DATED 1/1/80

Minerals Management Service
Oil and Gas Operations
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Mapco Production Company
Project Type Gas Well
Project Location 2022' FSL & 621' FEL - Sec. 23, T. 10S, R. 19E
Well No. 9-23E Lease No. U-013766
Date Project Submitted January 5, 1982

FIELD INSPECTION Date January 27, 1982

Field Inspection
Participants Greg Darlington - MMS, Vernal
Cory Bodman - BLM, Vernal
Darwin Kulland - Mapco

Related Environmental Documents: Unit Resource Analysis, Seep Ridge
Planning Unit, BLM, Vernal

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects, and, therefore, does not represent an exception to the categorical exclusions.

February 5, 1982
Date Prepared

Gregory Darlington
Environmental Scientist

I concur

FEB 08 1982
Date

WJ Martin
District Supervisor

FOR E. W. GUYNN
DISTRICT OIL & GAS SUPERVISOR

PROPOSED ACTIONS:

Mapco Production Company plans to drill the River Bend Unit #9-23E well, a 6475' gas test of the Chapita Wells Formation. A new access road of .5 mile will be required. A pad 190' x 400' and an irregularly shaped reserve pit 100' x 175' are planned for the location.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:

1. BLM stipulations;
2. lease stipulations; and
3. provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.

FIELD NOTES SHEET

Date of Field Inspection: January 27, 1982

Well No.: 9-23E

Lease No.: V-013766

Approve Location: ✓

Approve Access Road: ✓

Modify Location or Access Road: No Topsoil need be stockpiled

Evaluation of Criteria for Categorical Exclusion

1. Public Health and Safety
2. Unique Characteristics
3. Environmentally Controversial Items
4. Uncertain and Unknown Risks
5. Establishes Precedents
6. Cumulatively Significant
7. National Register Historic Places
8. Endangered/Threatened Species
9. Violate Federal, State, Local, or Tribal Laws

If this project is not eligible for Categorical Exclusion circle the numbers of the above criteria requiring the preparation of an EA.

Comments and special conditions of approval discussed at onsite: (include local topography) Good location. Reserve pit slightly in fill.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Federal/State Agency			Local and private correspondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
	Correspondence (date)	Phone check (date)	Meeting (date)						
Public health and safety							1, 2, 4, 6	January 27 1982	
Unique characteristics							1, 2, 4, 6		
Environmentally controversial							1, 2, 4, 6		
Uncertain and unknown risks							1, 2, 4, 6		
Establishes precedents							1, 2, 4, 6		
Cumulatively significant							1, 2, 4, 6		
National Register historic places							1, 6		
Endangered/ threatened species							1, 6		
Violate Federal, State, local, tribal law							1, 2, 4, 6		

4

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey
(Conservation Division, Geological Division, Water Resource Division,
Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement
8. Onsite Requirements Other than the Items 1-7.



United States Department of the Interior

IN REPLY REFER TO

T & R
U-802

BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

January 29, 1982

Ed Guynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, UT 84104


Re: Mapco, Inc.

RBU #3-23E Sec. 23, T10S, R19E	RBU #9-10E Sec. 10, T10S, R19E
RBU #9-23E Sec. 23, T10S, R19E	RBU #3-14E Sec. 14, T10S, R19E
RBU #3-24E Sec. 24, T10S, R19E	RBU #3-15E Sec. 15, T10S, R19E
RBU #12-18F Sec. 18, T10S, R20E	RBU #10-15E Sec. 15, T10S, R19E
	<i>RBU #9-14E Sec. 14, T10S, R19E</i>

Dear Sir:

A joint field examination was made on January 27, 1982, of the above referenced well site location and proposed access road. We feel that the surface use and operating plans are adequate with the following revisions and stipulations:

1. Construction and maintenance of roads, rehabilitation of disturbed areas and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the brochure, "Surface Operating Standards for Oil and Gas Exploration".
2. Traveling off access road right-of-ways will not be allowed. The maximum width of access pads (both existing and planned) will be 30 feet total disturbed area. Roads will be crowned and properly maintained. Turn-outs will not be required. Bar ditches will be installed where necessary.
3. The BLM will be notified at least 24 hours prior to any construction.
4. Burn pits will not be constructed. There will be no burning or burying of trash or garbage at the well sites. Refuse must be contained in trash cages and hauled to an approved disposal site.
5. A wire mesh or net type of fence, topped with at least one strand of barbed wire, will be used around the reserve pits.




6. The BLM will be contacted at least 24 hours prior to any rehabilitation activities. The operator may be informed of any additional needed seeding or restoration requirements.
7. The top 2-4 inches of topsoil will be stockpiled near reference corner #7 at well #10-15E and near reference corner #4 at well #9-10E.
8. Due to a lack of topsoil, no topsoil will be stockpiled at the following locations. Wells #3-15E, 3-14E, #3-23E, #9-14E, #3-24E, #9-23E, and #12-18E. On abandonment, the aforementioned well pads will be ripped to a depth of from 6-10 inches.
9. At wells #3-15E and #10-15E, diversion ditches shall be installed to protect the pads from water run-off from the surrounding area.
10. At well #12-18E, the access road was moved approximately 200 feet to the south.

Based on statistical studies of the River Bend Unit, no cultural resource clearances were needed for the aforementioned wells.

The proposed activities do not jeopardize listed, threatened, or endangered flora, fauna, or their habitats.

The BLM representative will be Cory Bodman, 789-1362.

Sincerely,



 Dean L. Evans
Area Manager
Bookcliffs Resource Area

cc: USGS, Vernal

**** FILE NOTATIONS ****

DATE: 1-7-82

OPERATOR: Mpeco Production Co.

WELL NO: Kirin Bend Unit 9-23E

Location: Sec. 23 T. 10S R. 19E County: United

File Prepared: ☒

Entered on N.I.D: ☒

Card Indexed: ☒

Completion Sheet: ☒

API Number 43-047-31144

CHECKED BY:

Petroleum Engineer: _____

Director: OK must well

Administrative Aide: In charge to the E line for unit gas well.
Unit well

APPROVAL LETTER:

Bond Required: ☐

Survey Plat Required: ☐

Order No. _____

O.K. Rule C-3 ☐

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site ☐

Lease Designation Prod.

Plotted on Map ☐

Approval Letter Written ☐

Hot Line ☒

P.I. ☐

c

c

January 13, 1982

Mapco Production Company
1643 Lewis Avenue Suite 202
Billings, Montana 59102

RE: Well No. River Bend 9-23E
Sec. 23, T. 10S, R. 19E,
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

CLEON B. FEIGHT - Director
Office: 533-5771
Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31144.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Cleon B. Feight
Director

CBF/as
Encl.
cc: USGS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYMINERALS MANAGEMENT SERVICE
RECEIVED
SUBMIT IN 1
Other instructions on reverse sideForm approved.
Budget Bureau No. 42-R1425.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☒ SALT LAKE CITY, UTAHPLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

MAPCO Production Company

3. ADDRESS OF OPERATOR

1643 Lewis Ave., Ste. 202, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface 2022' FSL & 621' FEL, NE SE

At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

20 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

621'

16. NO. OF ACRES IN LEASE

2240

17. NO. OF ACRES ASSIGNED

TO THIS WELL
16018. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

2700'

19. PROPOSED DEPTH

6475

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5243' GL

22. APPROX. DATE WORK WILL START*

7-16-83

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cmt to surface
7-7/8"	5-1/2"	17#	6475'	Cmt to surface

1. Drill a 12-1/4" hole with an air rig to 400'. Run 8-5/8", 24#, K-55 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6475' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
5. Run logs. Set 5-1/2", 17# K-55 and N80 casing as dictated by drilling shows, tests and logs. Release drilling rig. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Upper Wasatch and Chapita Wells sections of the Wasatch.
7. RU completion rig to test in a normal, prudent manner, all zones that indicate a potential for economically, recoverable reserves.
(See back for log tops)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

R. E. Baumann
R. E. Baumann

TITLE

Engr. Tech.

DATE

1-24-83

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

FOR
TITLEE. W. GUYNN
DISTRICT OIL & GAS SUPERVISOR

DATE FEB 7 1983

THIS RE APPROVAL IS SUBJECT TO ALL OF THE CONDITIONS OF APPROVAL
ORIGINALLY APPROVED ON FEBRUARY 17, 1982.

NOTICE OF APPROVAL

*See Instructions On Reverse Side

State Oil & Gas



STATE OF UTAH
NATURAL RESOURCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 12, 1983

Mapco Production Company
1643 Lewis Ave, Suite 202
Billings, Montana 59102

Re: See attached sheet

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Cari Furse
Well Records Specialist

CF/cf

Well No. River Bend Unit # 11-34B
Sec. 34, T. 9S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 1-4D
Sec. 4, T. 10S, R. 18E.
Uintah County, Utah

Well No. River Bend Unit # 8-4E
Sec. 4, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-10E
Sec. 10, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-14E
Sec. 14, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-14E
Sec. 14, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-15E
Sec. 15, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 10-15E
Sec. 15, T. 10S, R. 19E.
Uintah County, Utah


Well No. River Bend Unit # 3-23E
Sec. 23, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-23E
Sec. 23, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-24E
Sec. 24, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 11X-2F
Sec. 2, T. 10S, R. 20E.
Uintah County, Utah

Well No. River Bend Unit # 12-8F
Sec. 18, T. 10S, R. 20E.
Uintah County, Utah



MAPCO

PRODUCTION COMPANY

March 18, 1983

State of Utah
Natural Resources & Energy
Oil, Gas & Mining
4241 State Office Bldg.
Salt Lake City, UT 84114

Attn: Cari Furse

Re: Attached List

Dear Ms. Furse:

MAPCO Production Company does plan on drilling the wells listed on the attached sheet, except for the RBU 11X-2F and RBU 1-4D. The wells were not drilled in 1982 due to circumstances beyond our control, but are scheduled to be drilled this year. Our notice of intention to drill these wells is outlined in our 1983 River Bend Unit Plan of Development sent to you on December 16, 1982.

If you need any further information, please notify me.

Very truly yours,

MAPCO Production Company

R. E. Baumann
Engr. Tech.

REB/ch
Attach.

Acknowledge Receipt:

Well No. River Bend Unit # 11-34B
Sec. 34, T. 9S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 1-4D
Sec. 4, T. 10S, R. 18E.
Uintah County, Utah

Well No. River Bend Unit # 8-4E
Sec. 4, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-10E
Sec. 10, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-14E
Sec. 14, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-14E
Sec. 14, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-15E
Sec. 15, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 10-15E
Sec. 15, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-23E
Sec. 23, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 9-23E
Sec. 23, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 3-24E
Sec. 24, T. 10S, R. 19E.
Uintah County, Utah

Well No. River Bend Unit # 11X-2F
Sec. 2, T. 10S, R. 20E.
Uintah County, Utah

Well No. River Bend Unit # 12-18F
Sec. 18, T. 10S, R. 20E.
Uintah County, Utah



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 5, 1983

Mapco Production Company
1643 Lewis Avenue, Suite 202
Billings, Montana 59102,

Re: See attached list

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

Claudia Jones
Well Records Specialist

CJ/cj

Well No. RBU # 5-10
SW NW Sec. 10, T. 10S, R. 19E.
2055' FNL, 1234' FWL
Uintah County, Utah

Well No. RBU # 6-3D
SE NW Sec. 3, T. 10S, R. 18E
1583' FNL, 1943 FWL
Uintah County, Utah

Well No. RBU # 8-16D
SE NE Sec. 16, T. 10S, R. 18E.
2640 FNL, 870 FEL
Uintah County, Utah

Well No. RBU #9-10E
NE SE Sec. 10, T. 10S, R. 19E.
2001' FSL, 1177' FEL
Uintah County, Utah

Well No. RBU #9-14E
NE SE Sec. 14, T. 10S, R. 19E.
1371' FSL, 725' FEL
Uintah County, Utah


Well No. RBU #3-15E
NE NW Sec. 15, T. 10S, R. 19E.
129' FNL, 1569' FWL
Uintah County, Utah

Well No. RBU #3-23E
NE NW Sec. 23, T. 10S, R. 19E.
878' FNL, 2018' FWL
Uintah County, Utah

Well No. RBU # 9-23E
NE SE Sec. 23, T. 10S, R. 19E.
2022' FSL, 621' FEL
Uintah County, Utah

Well No. RBU # 3-24E
NE NW Sec. 24, T. 10S, R. 19E.
1016' FNL, 2085' FWL
Uintah County, Utah

Well No. RBU #11X-2F
NE SW Sec. 2, T. 10S, R. 20E.
1857' FSL, 1611' FWL
Uintah County, Utah



MAPCO PRODUCTION COMPANY
A SUBSIDIARY OF MAPCO INC.

December 12, 1983

State of Utah
Natural Resources
Oil, Gas and Mining
4241 State Office Building
Salt Lake City, Utah 84114

Re: Attached well location list

Attention Claudia Jones:

Reference is made to your letter of 12-5-83 concerning the attached list of well locations which are permitted but no activity has yet been undertaken.

All but three of the subject wells are scheduled for drilling in 1984. These wells were delayed because of the gas market being depressed and contract negotiation. These problems have abated some and development drilling was resumed this fall with the drilling of ten new wells now being finished up.

I have listed the subject well locations in the same manner and order as your list and given the planned action we have assumed for 1984. If you have any questions about this please call me collect at area code 918 telephone no. 599-4001.

Very Truly Yours,

J. D. Holliman
J. D. Holliman
Manager of Production,
Western Division

JDH/ab

*Change given to Cari 12/20/83
Please note address change*

RECEIVED
DEC 13 1983
DIVISION OF
OIL, GAS & MINING

we have closed our Billings office

WELL LOCATION

Well No. RBU #5-10E
SW NW Sec. 10, T. 10S, R. 19E
2055' FNL, 1234' FWL
Uintah County, Utah

Well No. RBU #6-3D
SE NW Sec. 3, T. 10S, R. 18E
1583' FNL, 1943' FWL
Uintah County, Utah

Well No. RBU #8-16D
SE NE Sec. 16, T. 10S, R. 18E
2640 FNL, 870' FEL
Uintah County, Utah

Well No. RBU #9-10E
NE SE Sec. 10, T. 10S, R. 19E
2001' FSL, 1177' FEL
Uintah County, Utah

Well No. RBU #9-14E
NE SE Sec. 14, T. 10S, R. 19E
1371' FSL, 725' FEL
Uintah County, Utah

Well No. RBU #3-15E
NE NW Sec. 15, T. 10S, R. 19E
129' FNL, 1569' FWL
Uintah County, Utah

Well No. RBU #3-23E
NE NW Sec. 23, T. 10S, R. 19E
878' FNL, 2018' FWL
Uintah County, Utah

Well No. RBU #9-23E
NE SE Sec. 23, T. 10S, R. 19E
2022' FSL, 621' FEL
Uintah County, Utah

Well No. RBU #3-24E
NE NW Sec. 24, T. 10S, R. 19E
1016' FNL, 2085' FWL
Uintah County, Utah

Well No. RBU #11X-2F
NE SW Sec. 2, T. 10S, R. 20E
1857' FSL, 1611' FWL
Uintah County, Utah

PLANNED DISPOSITION

To be drilled in 1984.

Most likely will not be drilled
in 1984 - cancel permit.

Most likely will not be drilled
in 1984 - cancel permit.

To be drilled in 1984.

To be drilled in 1984.


To be drilled in 1984.

To be drilled in 1984

To be drilled in 1984.

To be drilled in 1984.

Will not be drilled - cancel
permit.



MAPCO PRODUCTION COMPANY
A SUBSIDIARY OF MAPCO INC.

*Approved
by Federal
11/11/84
Kearney
(Bem)*

December 22, 1983

~~U.S. Geological Survey~~

~~D. O. Box 9859~~

~~Casper, Wyoming 82609~~

Reference: Extension of Approval on APD's

Gentlemen:

Please find enclosed in triplicate, MAPCO Production Company's Applications for Permit to Drill, Deepen, or Plug Back on the following wells (resubmitted):

<u>WELL NAME</u>	<u>LOCATION</u>	<u>APD EXPIRATION DATE</u>
✓RBU 5-10E✓	NE SE Sec. 10-T10S-R19E	4-01-84
✓RBU 3-23E✓	NE NW Sec. 23-T10S-R19E	2-07-84
✓RBU 9-23E✓	NE SE Sec. 23-T10S-R19E	2-07-84
✓RBU 3-24E✓	NE NW Sec. 24-T10S-R19E	2-07-84
✓RBU 9-14E✓	NE SE Sec. 14-T10S-R19E	2-07-84
✓RBU 3-15E✓	NE NW Sec. 15-T10S-R19E	2-07-84
✓RBU 9-10E✓	NE SE Sec. 10-T10S-R19E	2-07-84

Please notify me if you have any questions or need any additional information.

Very truly yours,

Tamara J. Brown
Production Technician

/tjb

Enclosure

RECEIVED
DEC 30 1983

**DIVISION OF
OIL, GAS & MINING**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

MAPCO Production Company

3. ADDRESS OF OPERATOR

1643 Lewis Ave., Ste. 202, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface 2022' FSL & 621' FEL, NE SE

At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

20 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

621'

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

2700'

16. NO. OF ACRES IN LEASE

2240

19. PROPOSED DEPTH

6475

17. NO. OF ACRES ASSIGNED
TO THIS WELL

160

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5243' GL

22. APPROX. DATE WORK WILL START*

Spring 1984

23.

PROPOSED CASING AND CEMENTING PROGRAM


SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cmt to surface
7-7/8"	5-1/2"	17#	6475'	Cmt to surface

1. Drill a 12-1/4" hole with an air rig to 400'. Run 8-5/8", 24#, K-55 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6475' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
5. Run logs. Set 5-1/2", 17# K-55 and N80 casing as dictated by drilling shows, tests and logs. Release drilling rig. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Upper Wasatch and Chapita Wells sections of the Wasatch.
7. RU completion rig to test in a normal, prudent manner, all zones that indicate a potential for economically, recoverable reserves.
(See back for log tops)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED



TITLE Div. Drlg. Supt.

DATE 12/21/83

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE DISTRICT MANAGER

DATE

THIS RE APPROVAL IS SUBJECT TO ALL OF THE CONDITIONS OF APPROVAL
ORIGINALLY APPROVED ON FEBRUARY 17, 1982.

*See Instructions On Reverse Side

70-150 1-M-110

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE*
 (Other instructions on
 reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		5. LEASE DESIGNATION AND SERIAL NO. <u>U-013766</u> 6. IF INDIAN, ALLOTTEE OR TRIBE NAME 7. UNIT AGREEMENT NAME <u>River Bend Unit</u> 8. FARM OR LEASE NAME <u>RBW</u> 9. WELL NO. <u>9-23E</u> 10. FIELD AND POOL, OR WILDCAT 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <u>Sec. 23-T10S-R19E</u> 12. COUNTY OR PARISH <u>Uintah</u> 13. STATE <u>Utah</u>
1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER 2. NAME OF OPERATOR <u>MAPCO Oil and Gas Company</u> 3. ADDRESS OF OPERATOR <u>P. O. Box 2115, Tulsa, OK 74101-2115</u> 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <u>2022' FSL & 621' FEL NE SE</u>		
14. PERMIT NO. <u>43-047-31144</u>	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <u>5243' GL</u>	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> SHOOT OR ACIDIZE <input type="checkbox"/> REPAIR WELL <input type="checkbox"/> (Other) <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETE <input type="checkbox"/> ABANDON* <input type="checkbox"/> CHANGE PLANS <input checked="" type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREATMENT <input type="checkbox"/> SHOOTING OR ACIDIZING <input type="checkbox"/> (Other) <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> ABANDONMENT* <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Due to budgetary restrictions and reduced gas sales, this well was not drilled in 1983; therefore, MAPCO requests an extension of the Application for Permit to Drill. This well has been rebudgeted for 1984.

**APPROVED BY THE STATE
 OF UTAH DIVISION OF
 OIL, GAS, AND MINING**

DATE: 2-6-84 Extended to 2/1/84

BY: Claudia Jones

18. I hereby certify that the foregoing is true and correct

SIGNED

Angie Bechtel

TITLE Sr. Engineering Tech.

DATE 2/1/84

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

DIVISION OF OIL, GAS AND MINING

SPODDING INFORMATION

NAME OF COMPANY: MAPCO

WELL NAME: RBU #9-23E

SECTION NESE 23 TOWNSHIP 10S RANGE 19E COUNTY Uintah

DRILLING CONTRACTOR Leon Ross

RIG #

SPODDED: DATE 6-14-84

TIME 9:45 AM


How Dry Hole Spud

DRILLING WILL COMMENCE 6/20/84

REPORTED BY Shirley

TELEPHONE # 722-4521

DATE 6-15-84 SIGNED AS



mapco
INC.

RECEIVED
JUN 26 1984

2
DIVISION OF OIL
GAS & MINING

PRODUCTION DIVISION

June 21, 1984

State of Utah
Division of Oil, Gas & Mining
ATTN: Ron Firth
4241 State Office Bldg.
Salt Lake City, Utah 84111

This is to inform you that the RBU 9-23E, lease
U-013766, located in the NE 1/4 of the SE 1/4 of Section
23, T 10 S, R 19 E, Uintah County, Utah, was
spudded 6-14-84 at 9:45 ^{am}~~pm~~ by Leon Ross Drilling Co.
(dry hole driller).

They drilled 400 feet of 12-/14 inch hole then ran 10 joints
of 8-5/8" 24#, K-55 casing with 3 centralizers, float collar or
insert-float at 354.14', and shoe at 393.84'.

Cemented with Halliburton using 190 sacks of class/type
2 cement with 1/4# per sack flocele.

Yield 1.18, weight 15.6, 39.93 bbls slurry. Cement to surface
(yes/~~no~~).

Sincerely,

Darwin Kulland
Darwin Kulland
District Superintendent

DK/sf

cc: JDH



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 22 1985

February 15, 1985

**DIVISION OF OIL
& GAS & MINING**

State of Utah
Division of Oil, Gas and Mining
335 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Transfer of Ownership and
Operations
Oil and Gas Wells
State of Utah

Gentlemen:

This letter is to inform you that:

CNG Producing Company
705 S. Elgin Ave., P. O. Box 2115
Tulsa, Oklahoma 74101-2115

has acquired the ownership and operations of oil and gas wells formerly
owned and operated by:

MAPCO Oil & Gas Company
Tulsa, Oklahoma

Attached is a listing of wells involved in the transfer. Should
there be any question regarding this matter, I may be contacted at
(918)599-4005.


Sincerely,

Greg Bechtol
Sr. Engineering Technician

GB/sr
Attachment

<u>Well Name</u>	<u>Location</u>	<u>Status</u>
46. RBU 14-2D	SE SW Sec. 2 T10S-R18E	Producing oil well
47. RBU 6-11D	SE NW Sec. 11-T10S-R18E	Producing oil well
48. RBU 7-3E	SW NE Sec. 3 T10S-R19E	Producing gas well
49. RBU 13-2D	SW SW Sec. 2-T10S-R18E	Producing oil well
50. RBU 8-4E	SE NE Sec. 4-T10S-R19E	Producing gas well
51. RBU 16-3D	SE SE Sec. 3-T10S-R18E	Producing oil well
52. RBU 12-18F	NW SW Sec. 18-T10S-R20E	Producing gas well
53. RBU 10-15E	NW SE Sec. 15-T10S-R19E	Producing gas well
54. RBU 8-11D	SE NE Sec. 11-T10S-R18E	Producing oil well
55. RBU 1-19F	NE NE Sec. 19-T10S-R20E	Producing gas well
56. RBU 3-14E	NE NW Sec. 14-T10S-R19E	Producing gas well
57. RBU 16-2D	SE SE Sec. 2-T10S-R18E	Producing oil well
58. RBU 10-11D	NW SE Sec. 11-T10S-R18E	Producing oil well
59. RBU 1-20F	NE NE Sec. 20-T10S-R20E	Producing gas well
60. RBU 8-10D	SE NE Sec. 10-T10S-R18E	Producing oil well
61. RBU 3-13E	NE NW Sec. 13-T10S-R19E	Producing gas well
62. RBU 12-2D	NW SW Sec. 2-T10S-R18E	Producing oil well
63. RBU 15-3D	SW SE Sec. 3-T10S-R18E	Producing oil well
64. RBU 3-15E	NE NW Sec. 15-T10S-R19E	WOC gas well
65. RBU 16-3E	SE SE Sec. 3-T10S-R19E	WOC gas well
66. RBU 5-10E	SW NW Sec. 10-T10S-R19E	Shut-in gas well
67. RBU 9-10E	NE SE Sec. 10-T10S-R19E	Shut-in gas well
68. RBU 9-14E	NE SE Sec. 14-T10S-R19E	Shut-in gas well
69. RBU 3-23E	NE NW Sec. 23-T10S-R19E	Shut-in gas well
70. RBU 9-23E	NE SE Sec. 23-T10S-R19E	WOC gas well
71. RBU 3-24E	NE NW Sec. 24-T10S-R19E	Shut-in gas well
72. RBU 1-17F	NE NE Sec. 17-T10S-R20E	WOC gas well
73. RBU 11-11F	NE SW Sec. 11-T10S-R20E	WOC gas well
74. RBU 10X-15E	NW SE Sec. 15-T10S-R19E	Plugged & abandoned

WOC - Waiting on completion



L. D. "Vern" HUNTER
Consulting Geologist

TELEPHONE
(406) 656-5197

2903 PARK HILL DRIVE
BILLINGS, MONTANA, 59102

MAPCO OIL & GAS COMPANY

RBU No. 9-23E

NE SE Section 23, T. 10 S., R. 19 E.

UINTAH COUNTY, UTAH

Prepared for MAPCO Oil & Gas Co.

By: L. D. 'Vern' Hunter
Consulting Geologist
Billings, Montana

OPERATOR: MAPCO OIL & GAS COMPANY

WELL: RBU No. 9-23E

LOCATION: NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 23, T. 10 S., R. 19 E.
621' FEL & 2022' FSL
Uintah County, Utah

TOPOG REFERENCE: Big Pack Mtn., NW

ELEVATIONS: 5,243' Grd.
5,257' K.B.

SPUD DATE: July 10, 1984 (7:30 p.m.)

SURFACE CASING: 8-5/8" set at 400'

HOLE SIZE: 12-1/4" from surface to 400'
7-7/8" from 400' to TD

TD AND DATE: 6,483' drlr. July 24, 1984 (10:35 a.m.)
6,480' SLM
6,467' lgr.

CORES: None

LOST CIRCULATION: 2,134'

FRACTURE ZONES: Probably related to lost circulation

OIL ON PITS: Show #19, 20, 22

WATER FLOWS: D Sandstone

SAMPLES: 30' samples from 400' to 3,600'
10' samples from 3,600' to TD

DRILL STEM TESTS: None

ELECTRIC LOGS: Dresser Atlas
DLL from 6,465' to 408'
FDC/CNL from 6,465' to 2,000'
Prolog from 6,467' to 2,000'
F log from 6,467' to 2,000'

Engineer: Steve Birkey

SAMPLE AND/OR PENETRATION RATE TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
D Sandstone	2,956'	+ 2,301
Lower Green River Oil Shale	3,915'	+ 1,342
Wasatch Tongue	4,112'	+ 1,145
Green River Tongue	4,470'	+ 787
Wasatch	4,623'	+ 634
Chapita Wells	5,301'	- 44

LOG TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Green River	1,222'	+ 4,035
X-Marker	1,908'	+ 3,349
A Zone	2,424'	+ 2,833
A+	2,716'	+ 2,541
B Zone	2,750'	+ 2,507
Purple Marker	2,796'	+ 2,461
C Zone	2,848'	+ 2,409
D Sandstone	2,930'	+ 2,327
E Zone	3,050'	+ 2,207
F Zone	3,124'	+ 2,133
G Zone	3,172'	+ 2,085
G+	3,270'	+ 1,987
H Zone	3,324'	+ 1,933
I Zone	3,416'	+ 1,841
J Zone	3,500'	+ 1,757
K _u Zone	3,680'	+ 1,577
K ₁	3,728'	+ 1,529
Wasatch ¹ Tongue	3,996'	+ 1,261
2	4,054'	+ 1,203
3	4,200'	+ 1,057
Green River Tongue	4,452'	+ 805
Wasatch	4,622'	+ 635
Chapita Wells	5,304'	- 47
Uteland Buttes	6,372'	- 1,115
TD	6,467'	

MUD LOGGING UNIT: Brown Logging
Unit #101
Radio 722-4501-5792 (Ans. Serv.)

Loggers: Mark Anderton
Carl Anderton

CONTRACTOR: Brinkerhoff Rig #79
Radio #9672
P. O. Box 2590
Mills, WY 82644

Pusher: Ken Loudermilk

MUD: Crown Mud
P. O. Box 1004
Vernal, UT
Tp 801-789-5137

Engineer: Frank Wilson
Tp 722-4894

AIR: Air Drilling Specialties from 2,405' to 4,540'
P. O. Box 240
Duchesne, UT 84021
Tp 801-738-2517

WELL-SITE DRILLING SUPERVISOR: Dennis Ivie
Mapco Unit #114
Glynn Mayson
Mobil 353-4717

MAPCO PRODUCTION COMPANY: J. D. Holliman
705 S. Elgin
P. O. Box 2115
Tulsa, OK 74101-2115
Tp 918-599-4001 office
918-627-4729 home
Terry Reeves
Tp 918-252-9201 home

WELL-SITE GEOLOGIST: L. D. 'Vern' Hunter
2903 Parkhill Drive
Billings, MT 59102
Tp 406-656-5197
From 400' to TD

STATUS: To complete as a Chapita Wells gas producer.
Ran 135 jts. 5½" K-55 LT&C 5,473.22'; 25 jts. 17# 5½" N-80
LT&C 1,020.62'; landed casing at 6,479.84'. Float collar
6,440.22'. Flag jt. 4,476.95'. Ran 12 centralizers, 1000 gal.
mud flush, 466 sx lead cement, Halco hi-fill 11#/gal. Tail
in with 145 sx thixotropic, 10#/gal. w/ 5# gilsonite per sack,
¼#/sack flocele, .4% Halad 9. Displace w/ 50 bbls. 2% KCl +
.2% clay stay and 100 bbls fresh water. Plug down 6:00 a.m.,
July 26, 1984. Bumped w/ 1500#.

RIG RELEASED: July 26, 1984

CHRONOLOGICAL HISTORY

<u>DATE</u>	<u>PTD</u>	<u>ACTIVITY</u>	<u>FOOTAGE</u>
	8:00 a.m.		
July 11, 1984	948'	Drilling	548'
12	2,345'	Drilling	1,397'
13	2,408'	Drilling	63'
14	2,722'	Trip	314'
15	2,858'	Drilling	136'
16	3,566'	Drilling	708'
17	4,157'	Drilling	591'
18	4,676'	WOR	519'
19	4,738'	Drilling	62'
20	5,231'	Drilling	493'
21	5,712'	Drilling	481'
22	6,012'	WOR	300'
23	6,099'	Drilling	87'
24	6,450'	Drilling	351'
25	6,483'	TIH after logs	33'

DEVIATIONS

<u>DATE</u>	<u>DEPTH</u>	<u>AMOUNT</u>
July 11, 1984	360'	1-1/2°
	899'	1°
12	1,410'	1°
	1,912'	2-3/4°
13	2,408'	1-3/4°
15	2,807'	2-1/4°
16	3,254'	1-3/4°
17	3,989'	1-3/4°
19	4,677'	1-1/4°
21	5,367'	1-1/2°
24	6,483'	1-1/2°

MUD CHECKS

<u>DATE</u>	<u>DEPTH</u>	<u>WT.</u>	<u>VIS.</u>	<u>TYPE</u>	<u>WL</u>	<u>Ph.</u>	<u>KCl</u>	<u>SOLIDS</u>	<u>LCM</u>	<u>CHLORID</u>
July 11, 1984	948'	-	-	Fresh water	-	-	-	-	-	-
12	2,345'	8.3	26	Fresh water	-	11.0	-	-	-	12,00
13	2,408'	8.3	26	Fresh water	-	12.0	-	-	-	16,00
14	2,722'	-	-	Air mist	-	-	-	-	-	-
15	2,858'	-	-	Air mist	-	-	-	-	-	-
16	3,566'	-	-	Aerated water	-	-	-	-	-	-
17	4,157'	8.3+	26	KCl water	-	10.0	-	-	-	22,00
18	4,676'	8.4	26	KCl water	-	11.0	-	-	-	24,00
19	4,738'	8.3	26	KCl water	-	10.0	2%	-	-	24,00
20	5,231'	8.4	26	KCl water	-	10.5	2%	-	-	27,00
21	5,712'	8.4	26	KCl water	-	-	2%+	-	-	29,00
22	6,012'	8.4	26	KCl water	-	10.5	2%	-	-	29,50
23	6,099'	8.5	32	Chem Gel+KCl	11.2	10.0	-	1.5%	tr	14,00
24	6,450'	9.0	35	Chem Gel+KCl	10.0	9.5	-	5%	-	21,00
25	6,483'	9.0	35	Chem Gel+KCl	10.0	9.5	-	5%	-	21,00

BIT RECORDS

<u>NO.</u>	<u>SIZE</u>	<u>CO.</u>	<u>TYPE</u>	<u>OUT</u>	<u>FOOTAGE</u>	<u>HOURS</u>	<u>AVE. FT/HR</u>
1	7-7/8"	STC	F-4	2,722'	2,322'	39-3/4	58.4
2	7-7/8"	STC	F-45	2,722'	0'	-	-
3	7-7/8"	STC	F-45	2,852'	130'	3-1/4	40
4	7-7/8"	STC	F-4	4,676'	1,824'	64-1/2	28.3
5	7-7/8"	STC	F-3	6,012'	1,336'	60-3/4	22.0
5-RR	7-7/8"	STC	F-3	6,483'	1,807'	87-1/4	20.7

REPORT FOR SHOWS & DRILLING BREAKS

DATE	SHOW &/or BREAK #'s MW in MW Out	DEPTH	DRLG. RATE BEFORE BREAK	DRLG. RATE FOR BREAK	DRLG. RATE AFTER BREAK	TOTAL GAS BEFORE- DURING- AFTER- BREAK	SAMPLE DESCRIPTION
July 12	1	964- 970	1	.5	1	0- 30- 10	Oil sh
	2	1822-1824	.7	.5	.7	10- 30- 10	Oil sh
	3	1862-1870	.7	.6	.7	10- 65- 10	Oil sh
	4	2060-2064	.9	.7	.9	20-500- 50	Sh
14	5	2470-2480	1	.8	1	75-450-100	Ss, ns
	-	2722	-	-	-	BG 30; Conn 450	-
15	6	2736-2740	3.5	2	2	200-300-100	Ss w/ ss •
	7	2772-2782	2	.7	1.5	125-175- 40	Aa
	-	2858	-	-	-	BG 150; Conn 600; TG 1200; TG ₂ 2000	
16	7a	2902-2906	1.5	.5	1.5	200-250-200	Ss
	8	2954-2974	1	.7	1	200-350-200	Ss
	9	2976-3003	1.5	.7	1.5	200-400-200	Ss
	10	3133-3150	1.5	.7	1.5	200-400-200	Ls
	11	3209-3221	1.5	1	1.5	200-300-200	Ss
	12	3262-3272	1.5	1	1.5	150-250-150	Ss
	13	3372-3380	2.5	1.5	2.5	0- 0- 0	Ss
	14	3494-3498	2.5	1.5	2.5	0-200- 50	Ss
	15	3517-3524	2.5	1.7	2.5	50-200- 50	Ss
	-	3566	-	-	-	BG 20; Conn 200	
	16	3608-3617	2.5	.5	2.5	10-200- 50	Ls
	17	3626-3638	2.5	1.5	3	50-100-100	Ss/l s, ss •
	18	3832-3842	2	1	2	110-300- 75	Ss, ss •
	19	3854-3860	3	1	2	75-400-120	Ls
	20	3870-3904	2	.5	2	120-400-100	Ss, s •
17	21	4130-4140(?brk)	2.5	2.5	2.5	100-100-100	Ss, s •
	22	4226-4248	2.5	.5	2.5	20-800- 20	Ss, s •
	23	4469-4499	2.5	1	2.5	20-3000- 20	Oil sh
	24	4552-4564	2	1	2	20-600-20	Ss
	25	4619-4622	3	1	2.5	20-400-20	Ls
	-	4676	-	-	-	BG 20; Conn 600	
19	-	4738	-	-	-	BG 100; Conn 700; TG 4000	
20	26	5024-5030	3	1	3	20-400- 20	Ss
	-	5231	-	-	-	BG 100; Conn 300	
21	27	5406-5416	2.5	.5	2	10-500- 20	Ss
	28	5476-5488	2.5	1	2	10- 40- 10	Ss
	-	5712	-	-	-	BG 5; Conn 15	
22	29	5831-5870	3	1	4	10-200- 10	Ss
	30	5910-5924	3	1	3	10-100- 10	Ss
	31	5980-5992	3	1.5	4	10- 60- 10	Ss
	-	6012	-	-	-	BG 15; Conn 30	
23	32	6042-6052	2.5	.5	2.5	10-1200-400	Ss
	33	6104-6114	2.5	1	2.5	200-500-100	Ss
	-	6009	-	-	-	BG 300; Conn 800; TG 2000; STG 4000	
24	-	6450	-	-	-	BG 2; Conn 5	
	34	6270-6273	4.5	3	4.5	10- 10- 10	Ss

NOTE: Drilling breaks should be corrected uphole approximately 20' to agree with electric log. Shallower breaks appear to require 8-10' uphole correction.

SAMPLE DESCRIPTIONS

<u>BREAK #</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
1	964- 970	Oil sh, tan to med brn, <u>gold SF</u> , <u>tr wk milky cut</u>
2	1,822-1,824	Oil sh as above
3	1,862-1,870	As above
4	2,060-2,064	Sh aa /w ls, crm, dol'c, lith, ti, <u>gold SF</u> , <u>slow weak milky cut</u>
NOTE: NO RETURNS FROM 2,134-2,440'		
5	2,470-2,480	Ss, lt gry, vf, ang to sa, free drlg, calc, NS
6	2,736-2,740	Ss, lt gry to tan, vf, sa, clay filled, calc, ti, <u>tr spty med brn OS</u> , <u>spty yell SF</u> , <u>pale bluish cut & CF</u>
7	2,772-2,782	Ss and show as above
7a	2,902-2,906	Ss, wht, vf, calc, pyr, firm, ti, NS w/ sh med gry to gry-grn, dol'c, firm
<u>SAMPLE TOP: D SANDSTONE 2,956'</u>		
8 & 9	2,954-3,003	Ss, wht, vf, calc, free drlg, sa to sr, NS
10	3,133-3,150	Dol and oil sh, tan to dk brn, calc, lith, ti, <u>dull gold SF</u> , <u>slow bluish cut & CF</u>
11	3,209-3,221	Ss aa w/ ls, tan, dol'c, lith, ti
12	3,262-3,272	Oil sh, med brn
13	3,372-3,382	VPS, oil sh aa?
14	3,494-3,498	Sh, med gry, dol'c, firm, tr ss, lt gry, fine, free drlg, ang to sa, NS
15	3,517-3,524	VPS--aa? abd well rnded cuttings
16	3,608-3,617	Ls, tan to med brn, dol'c in pt, lith, ti, <u>tr gold SF</u> , <u>slow wk bluish cut & CF</u> , tr ost's
17	3,626-3,638	Sh, buff, tan, med brn, dol'c, firm
18	3,832-3,842	Aa w/ tr lcm
19	3,854-3,860	Aa w/ lcm, <u>tr oil on pits</u>
20	3,870-3,904	Ss, gry to tan, f, tr m, tr pyr, calc, ang to sa, ti to free drlg in pt, <u>spty med brn OS</u> , <u>gold SF</u> , <u>bluish-yell cut & CF</u> , <u>no ring</u> , <u>oil on pits</u> . Note lcm in spl

<u>BREAK #</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
		<u>SAMPLE TOP: WASATCH TONGUE 4,112'</u>
21	4,130-4,140	Sh, rd-brn, gry-grn, soft, bent'c, sl calc in pt, tr ss, wht, f, ang, sl calc, ti, <u>spty dk brn OS, pale yell SF, bluish-yell cut & CF</u>
22	4,226-4,248	Ss, wht, f, tr m, mostly free drlg, s ang, sl calc, <u>spty tan OS, yell SF, gd immed bluish yell cut & CF, v fnt lt tan ring, tr oil on pits</u>
		<u>SAMPLE TOP: GREEN RIVER TONGUE 4,470'</u>
23	4,469-4,499	Ls, dol'c in pt, med brn, shly, lith, ti, hard, <u>gold SF, slow milky cut</u>
24	4,552-4,564	Sh, tan, dol'c, <u>dull gold SF, slow milky cut</u> , tr ss aa (cave?)
25	4,619-4,622	Sh, aa
		<u>SAMPLE TOP: WASATCH 4,623'</u>
26	5,024-5,030	Ss, wht, f, ang to sa, free drlg, calc, occais clusters of ss are ti, NS w/ sh, rd-brn, calc, firm
		<u>SAMPLE TOP: CHAPITA WELLS 5,301'</u>
27	5,406-5,416	As above
28	5,476-5,488	As above
29	5,831-5,870	Ss, wht, vf-f, free drlg, ang to sa, calc, tr ss clusters, ti no oil stain or fluor
30	5,910-5,924	Ss aa
31	5,980-5,992	Ss aa
32	6,042-6,052	Ss aa
33	6,104-6,114	Ss aa
34	6,270-6,273	Ss aa

MAPCO, RBU 9-23E
NE SE 23-10S-19E
Uintah Co., Utah

BIT 1 (F-4)

1000

2000

l.c.

BIT 2 & 3 (F-45)

BIT 4 (F-4)

3000

4000

BIT 5 (F-3)

5000

BIT 5 RR + lc & mud up

6000

TD 6,483'

7000

46 0780

10 X 10 TO THE INCH • 7 X 10 INCHES
KEUFFEL & ESSER CO. MADE IN U.S.A.

7/10 15 20 25



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 27 1985

February 25, 1985

**DIVISION OF OIL
GAS & MINING**

State of Utah
Division of Oil & Gas Mining
355 W. North Temple
3 Triad Center - Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

Effective January 1, 1985, CNG Producing Company, New Orleans, LA., purchased the oil and gas properties of MAPCO Oil & Gas Company located in the state of Utah. Attached is a list of the properties sold for which CNG will now be responsible.

Please direct any future correspondence concerning these wells to the address shown below:

CNG Producing Company - Tulsa Division
P. O. Box 2115
Tulsa, OK 74101-2115
Attention: Joe C. Lineback

Yours truly,

Joe C. Lineback
Manager of Accounting

JCL/cf

Attachment

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	DRY <input type="checkbox"/>	Other <input type="checkbox"/>		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other <input type="checkbox"/>
2. NAME OF OPERATOR						DIVISION OF OIL GAS & MINING	
MAPCO Oil & Gas Company							
3. ADDRESS OF OPERATOR						74101-	
705 S. Elgin Ave., P.O. Box 2115, Tulsa, OK 2115							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*							
At surface 2022' FSL & 621' FEL NE SE							
At top prod. interval reported below same							
At total depth same							
14. PERMIT NO.		DATE ISSUED					
43-047-31144		2-7-83					
15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)		18. ELEVATIONS (DF, REB, RT, GR, ETC.)*		19. ELEV. CASINGHEAD	
6-14-84	7-26-84	3-2-85		5243' GL 5257' KB		N/A	
20. TOTAL DEPTH, MD & TVD		21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY	
6483'		6440'				ROTARY TOOLS ... CABLE TOOLS	
						Surface to TD	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*						25. WAS DIRECTIONAL SURVEY MADE	
Chapita 6084'-6094' 5960'-5974' 5808'-5850' Wasatch						No	
Wells 6022'-6036 5880'-5907' 5385'-5412'							
26. TYPE ELECTRIC AND OTHER LOGS RUN						27. WAS WELL CORED	
GDL-CNL-GR, DLL-GR, Prolog						No	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		
8-5/8"		24#	394'	12 1/4"	cement to surface		
5 1/2"		17#	6480'	7-7/8"	611 sacks		
29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	
					2-3/8"	5611'	
						N/A	
31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
See Attachment				DEPTH INTERVAL (MD)			
				AMOUNT AND KIND OF MATERIAL USED			
				See Attachment			
33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
3-2-85		Flowing				SI-WOPL	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	
3-3-85	24	14/64		0	2071	0	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
N/A	1750		0	2071	0	N/A	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)						TEST WITNESSED BY	
Flared						John Bingham	
35. LIST OF ATTACHMENTS							
Perforation and Stimulation Report							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED		TITLE		DATE			
Guy Beckel		Sr. Engineering Tech.		3-7-85			

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 33.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Green River "D"	2930	+2327
				Wasatch Tge	4096	+1161
				Green River		
				Tge	4450	+ 807
				Wasatch	4622	+ 635
				Chapita Wells	5302	- 45
				Utteland		
				Buttes	6372	-1115

MAPCO OIL AND GAS COMPANY
COMPLETION REPORT ATTACHMENT
WELL: RBU 9-23E

PERFORATION RECORD	
ZONE AND DEPTH	SIZE NO.

Chapita Wells

6084-6094	0.43 11
-----------	---------

6022-6036	0.43 15
-----------	---------

5960-5974	0.43 15
-----------	---------

5880-5907	0.43 28
-----------	---------

5808-5850	0.43 43
-----------	---------

5385-5412	0.43 27
-----------	---------

ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. AMOUNT AND KIND OF MATERIAL USE

Frac with 28,475 gal 67/75 quality N ₂ foam and 43,000 lbs. 20/40 sand.

Frac with 31,625 gal 67/75 quality N ₂ foam and 53,000 lbs. 20/40 sand.

Frac with 29,315 gal 67/75 quality N ₂ foam and 34,000 lbs. 20/40 sand.

Frac with 42,530 gal 67/75 quality N ₂ foam and 90,000 lbs. 20/40 sand.

Frac with 58,480 gal 67/75 quality N ₂ foam and 136,000 lbs. 20/40 sand.
--

Frac with 42,000 gal 67/75 quality N ₂ foam and 90,000 lbs. 20/40 sand.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME River Bend	
2. NAME OF OPERATOR CNG Producing Company		8. FARM OR LEASE NAME RBU	
3. ADDRESS OF OPERATOR 705 S. Elgin Ave., P. O. Box 2115, Tulsa, OK 74101		9. WELL NO. -2115 9-23E	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below) At surface 2022' FSL & 621' FEL		10. FIELD AND POOL, OR WILDCAT	
14. PERMIT NO. 43-047-31144		11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA Sec. 23-T10S-R19E	
15. ELEVATIONS (Show whether OF, AT, OR, etc.) 5243 GL		12. COUNTY OR PARISH Uintah	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>
(Other) <input type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS* (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).*

CNG Producing Company requests permission to install a temporary surface flowline from the RBU 9-23E to a point in the gas gathering system near the RBU 11-24E. The line will be constructed of 2 3/8" EUE 8rd tubing and will be approximately 4000' in length. After construction and tie-in, the line will be pressure tested to 1000 psi. The flowline is necessary for conducting extensive testing of this well and to avoid venting or flaring of gas during testing. After all testing is completed, the line will be dismantled.

RECEIVED

JUL 19 1985

DIVISION OF OIL
GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED George C. Be. Rtd

TITLE Sr. Engr. Tech.

DATE 7-15-85


(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013766
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVERBEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) At Surface 2,022' FSL & 621' FEL of Sec. 23 - T10S - R19E		8. Well Name and No. RBU 9-23E
		9. API Well No. 43-047-31144
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State UINTAH, UTAH


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other WEEKLY REPORT of OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

Weekly Report of Operations 11-15-97 thru 11-21-97

Move in & rig up , bleed well dwon
N/U BOP's and test.
Unseat baker R-3 packer & start POOH.



14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA		Title COORDINATOR, REGULATORY REPORTS	
Signature <i>Brett P. Bangman for SHS</i>		Date 971125	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE			
Approved by		Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.			

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013766
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVERBEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 2,022' FSL & 621' FEL of Sec. 23-T10S-R19E		8. Well Name and No. RBU 9-23E
		9. API Well No. 43-047-31144
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other WEEKLY REPORTS OF OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

WEEKLY REPORT OF OPERATIONS FOR 11/22/97 - 11/28/97

Pull out of hole with tubing sliding sleeve and packer. Packer seal rubber left in hole. Waiting on high pressure air foam unit from Weatherford.


14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>	Date 971211

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WO tax credit 8/98



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen any well on an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		7. If Unit or C/A Agreement, Name and/or No. RIVERBEND UNIT
2. Name of Operator CNG PRODUCING COMPANY		8. Well Name and No. RBU 9-23E
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	9. API Well No. 43-047-31144
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 2,022' FSL & 621' FEL of Sec. 23-T10S-R19E		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other WEEKLY REPORTS OF OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

WEEKLY REPORT OF OPERATIONS FOR 11/13/97 - 11/19/97

Rig up rig and equipment. Nipple down wellhead. Nipple up BOP and test to 5000 PSI. Change out ram rubbers and test. Held good. Nipple up 6" 5M hydril. Rig up floor and tongs. Nipple up drilling head. Rig up power swivel and tie back. Bleed pressure off well. Trip in hole with bit and tubing to 5,846'. Rig up power swivel. Break circulation. Trip in hole and tag bridge plug at 5,870'. Drill out bridge plug. Circulate clean and trip in hole to 5,972'. Drill out bridge plug remains and push down to next plug at 6,070'. Drill on same depth for 1 hour. Bit started hanging up with rubber parts. Start working tubing up and down to keep from getting stuck. Circulate clean. Rig down power swivel and pull out of hole to top of perms at 5,672'. Bleed well pressure to pit. Trip in hole with tubing and bit to 6,049'. Rig up drilling equipment. Break circulation. Continue drilling on bridge plug remains at 6,070'. Drill up bridge plug and push remains to 6,119'. Circulate clean. Pull out of hole with tubing to 6,028'. Nipple down drilling head and land tubing with hanger. Rig down power swivel. Nipple down hydril and BOP. Nipple up wellhead tree. Pump off bit and bit sub with foam unit at 1200 PSI. End of tubing at 6,028' and nipple at 5,994'. Rig down workover rig. Open well to sales with 600 MCF/D with 1000 PSI on tubing and 1200 PSI on casing flowing on 12/64" choke.

14. I hereby certify that the forgoing is true and correct
Name (Printed/Typed)

SUSAN H. SACHITANA

Signature

Susan H. Sachitana

Title

COORDINATOR, REGULATORY REPORTS

Date

971219

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side


1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013766
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVER BEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 2,022' FSL & 621' FEL of Sec. 23-T10S-R19E		8. Well Name and No. 9-23E
		9. API Well No. 43-047-31144
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>PLUNGER LIFT</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

Installed plunger lift equipment on above well. Well on plunger as of 1/05/98.



14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA		Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>		Date 980120
THIS SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.		

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013766
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVERBEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 2,022' FSL & 621' FEL of Sec. 23-T10S-R19E		8. Well Name and No. RBU 9-23E
		9. API Well No. 43-047-31144
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other <u>SUMMARY OF OPERATIONS</u>
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandonment <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

SUMMARY OF OPERATIONS FOR FEBRUARY 15, 2000 - FEBRUARY 16, 2000

Rig up rig and equipment. Blow well to tank, pump 20 bbls down casing and 10 bbls down tubing to control well. Nipple down wellhead. Nipple up BOP. Unland tubing. Pull out of hole with 192 jts. 2-3/8" tubing and bottom hole assembly. Found 5 bent jts. in string and replaced. Run in hole with 192 jts. 2-3/8" tubing and bottom hole assembly. Land tubing on hanger with 1.78 "F" at end of tubing. Nipple down BOP. Nipple up wellhead. Drop Mclean down hole stop and spring and pad plunger. Return well to production. Note: Replaced leaking casing valve. Well loaded up. Rig up swab rig. Start swabbing with fluid level at 5,000'. Made 3 runs - well flowed. Well loaded up, Swabbed back 15 bbls fluid. Return well to production.

RECEIVED

MAR 13 2000

**DIVISION OF
OIL, GAS AND MINING**

14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title REGULATORY REPORTS ADMINISTRATOR
Signature <i>Susan H. Sachitana</i>	Date 20000310

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious fraudulent statements or representations as to any matter within its jurisdiction.		



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:

3100
U-01470-A et al
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases
1450 Poydras Street :
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 05 2000

DIVISION OF
OIL, GAS AND MINERAL

cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Irene Anderson (UT-932)
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)

Dominion Exploration & Production, Inc.
1450 Poydras Street, New Orleans, LA 70112-6000
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson
Utah Board of Oil Gas & Mining
1594 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 29 2000

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER: _____	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name: _____
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name: _____
4. Location of Well Footages: QQ, Sec, T., R., M.: _____	8. Well Name and Number: VARIOUS
	9. API Well Number _____
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other _____	<input type="checkbox"/> Abandon* <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other OPERATOR NAME CHANGE FOR WELLS
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date work will start _____	Date of work completion _____ Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form. *Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.



John R. Lewis

Sr. Vice-President - CNG Producing Company

RECEIVED

JUN 29 2000

**DIVISION OF
OIL, GAS AND MINING**

13.	
Name & Signature:  John R. Lewis	Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

(This space for State use only)



State of Utah
DEPARTMENT OF COMMERCE
Division of Corporations & Commercial Code

**Application To Amend The
CERTIFICATE OF AUTHORITY OR
REGISTRATION of**

CNG Producing Company
Business Entity Name

Delaware
Name of Home State

Check Appropriate Box	
<input checked="" type="checkbox"/>	Foreign Profit Corporation \$35.00
<input type="checkbox"/>	Foreign Non-Profit Corporation \$35.00
<input type="checkbox"/>	Foreign Limited Partnership \$25.00
<input type="checkbox"/>	Foreign Limited Liability Company \$35.00

File Number

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc.

The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on #1, unless this name is not available)

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- ☒ The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
☐ The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to: _____

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to: _____

IV. Other: _____

(Limited Partnership changing General Partners, Limited Companies changing Members or Managers, Change of statement who is managing, etc.)
Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature

Vice President & Corporate Secretary
Title

April 20, 2000
Date of Utan

Department of Commerce
Division of Corporations and Commercial Code

I Hereby certify that the foregoing has been filed and approved on this 25 day of April, 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner

Date



PROJENSON
Director

Date: 04/25/2000

Receipt Number: 22156

Amount Paid: \$50.00

STATE OF UTAH
DIVISION OF CORPORATIONS
AND COMMERCIAL CODE
160 East 300 South / Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Web Site: <http://www.commerce.state.ut.us>

FILED


APR 25 2000

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
EVANS FEDERAL #32-25	4304732406	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-25B	4304732445	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-25B	4304732453	DOMINION EXPLORATION & PR	LA	BLM
RBU #11-25B	4304732482	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-14EO	4304732507	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-23EO	4304732508	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-14EO	4304732514	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13EO	4304732599	DOMINION EXPLORATION & PR	LA	BLM
RBU #9-23EO	4304732601	DOMINION EXPLORATION & PR	LA	BLM
STATE #2-36E	4304732979	DOMINION EXPLORATION & PR	PR	STATE
STATE #1-36E	4304733181	DOMINION EXPLORATION & PR	PR	STATE
RBU #1-16F	4304733360	DOMINION EXPLORATION & PR	DR	BLM
RBU #5-3F	4304733361	DOMINION EXPLORATION & PR	FUT	BLM
RBU #5-16F	4304733363	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-23F	4304733367	DOMINION EXPLORATION & PR	DR	BLM
EVANS FEDERAL #15-26E	4304733508	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #9-26E	4304733509	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #10-25E	4304733510	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #14-25E	4304733511	DOMINION EXPLORATION & PR	FUT	BLM
FEDERAL #13-30B	4304733581	DOMINION EXPLORATION & PR	FUT	BLM
STATE #13-36A	4304733598	DOMINION EXPLORATION & PR	FUT	BLM
RBU #1-1D	4304733599	DOMINION EXPLORATION & PR	FUT	BLM
OSC #1-17	430472030800S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #2	430473008700S1	DOMINION EXPLORATION & PR	PR	BLM
OSC #4	430473011300S1	DOMINION EXPLORATION & PR	TA	BLM
OSC #4A-30	430473012200S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #7-15E	430473021100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16E	430473026000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-18F	430473026600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-13E	430473037400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15F	430473037500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-21F	430473037600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-19F	430473040500S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL #7-25B	430473040600S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-10E	430473040800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11D	430473040900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-14E	430473041000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-23E	430473041100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16F	430473041200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-17F	430473058400S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-11F	430473058500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16D	4304730608	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #7-25A	430473062400S01	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-3F	430473068900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-22E	430473069800S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #4-11D	430473071800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-23F	4304730719	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-3E	430473072000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-24E	430473075900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-2F	430473076000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-10F	430473076100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-20F	430473076200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-22F	430473076800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-14F	430473082500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #2-11D	430473082600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3F	430473088700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-15E	430473091500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-14E	430473092600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-22E	430473092700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-23E	430473097000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-19F	430473097100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-11F	430473097300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-10E	430473104600S1	DOMINION EXPLORATION & PR	PR	BLM

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
RBU #16-16F	430473111500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-34B	430473113800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-18F	430473114000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-24E	430473114100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-23E	430473114300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-23E	430473114400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-14E	430473114500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-15E	430473116000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-15E	430473116100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-10E	430473117600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #14-2D	430473119100S1	DOMINION EXPLORATION & PR	SIEC	STATE
RBU #6-11D	430473119200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-14E	430473119600S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL 33-18J	430473120000S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-4E	430473125200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-2D	430473128000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #1-19F	430473132200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-10E	430473132300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-20F	430473132400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3D	430473135200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-11D	430473135700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-11D	430473135800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-10D	430473136400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-13E	430473136900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-2D	4304731452S02	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-3E	430473151800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-11F	430473151900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-17F	430473152000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-3D	430473153900S1	DOMINION EXPLORATION & PR	PR	BLM
* HILL CREEK FEDERAL #1-30	430473160100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-13E	430473160500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-22E	430473160600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-24E	430473160700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-18F	430473160800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11F	430473161300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16F	430473161400S2	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-22F	430473161500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-12D	430473165100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-17E	430473165200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-13E	430473171500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-13E	430473171700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-35B	430473172400S1	DOMINION EXPLORATION & PR	TA	BLM
RBU #9-9E	430473173900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-16E	430473174000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #2-10D	430473180100S1	DOMINION EXPLORATION & PR	PR	BLM
* APACHE FEDERAL #12-25	430473188100S1	DOMINION EXPLORATION & PR	PR	BLM BIA
* APACHE FEDERAL #44-25	430473192200S2	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-2F	430473202600S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #13-14E	430473203300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-3E	430473203700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-18F	430473203800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-24E	430473204000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-14E	430473204100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-16E	430473204200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-20F	430473205000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-13E	430473205100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-19F	430473207000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-22E	430473207100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-34B	430473207200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15E	430473207300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-21F	430473207400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-22F	430473207500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-20F	430473208100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-23E	430473208200S1	DOMINION EXPLORATION & PR	PR	BLM

OPERATOR CHANGE WORKSHEET

Check each listed item when completed. Write N/A if item is not applicable.

	4-KAS ✓
2-CDW ✓	5- CDW ✓
3-JLT	6-FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change Only

Merger

The operator of the well(s) listed below has changed, effective: 4-12-00**TO:**(New Operator) DOMINION EXPL & PROD INC.**FROM:**(Old Operator) CNG PRODUCING COMPANYAddress: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000Phone: 1-(504)-593-7000Phone: 1-(504)-593-7000Account No. N1095Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	Unit
Name: <u>RBU 1-10E</u>	API: <u>43-047-31046</u>	Entity: <u>7050</u>	S <u>10</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 16-16F</u>	API: <u>43-047-31115</u>	Entity: <u>7050</u>	S <u>16</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 12-18F</u>	API: <u>43-047-31140</u>	Entity: <u>7050</u>	S <u>18</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013793</u>
Name: <u>RBU 3-24E</u>	API: <u>43-047-31141</u>	Entity: <u>7050</u>	S <u>24</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013794</u>
Name: <u>RBU 3-23E</u>	API: <u>43-047-31143</u>	Entity: <u>7050</u>	S <u>23</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 9-23E</u>	API: <u>43-047-31144</u>	Entity: <u>7050</u>	S <u>23</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 9-14E</u>	API: <u>43-047-31145</u>	Entity: <u>7050</u>	S <u>14</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 3-15E</u>	API: <u>43-047-31160</u>	Entity: <u>7050</u>	S <u>15</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 10-15E</u>	API: <u>43-047-31161</u>	Entity: <u>7050</u>	S <u>15</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 9-10E</u>	API: <u>43-047-31176</u>	Entity: <u>7050</u>	S <u>10</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 6-11D</u>	API: <u>43-047-31192</u>	Entity: <u>7070</u>	S <u>11</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013818-A</u>
Name: <u>RBU 3-14E</u>	API: <u>43-047-31196</u>	Entity: <u>7050</u>	S <u>14</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 8-4E</u>	API: <u>43-047-31252</u>	Entity: <u>7050</u>	S <u>04</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 1-19F</u>	API: <u>43-047-31322</u>	Entity: <u>7050</u>	S <u>19</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013769-A</u>
Name: <u>RBU 5-10E</u>	API: <u>43-047-31323</u>	Entity: <u>7050</u>	S <u>10</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 1-20F</u>	API: <u>43-047-31324</u>	Entity: <u>7050</u>	S <u>20</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013793-A</u>
Name: <u>RBU 16-3D</u>	API: <u>43-047-31352</u>	Entity: <u>7070</u>	S <u>03</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013820</u>

OPERATOR CHANGE DOCUMENTATION

YES 1. A pending operator change file has been set up.YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on _____.

- YES 5. **Federal and Indian Leases.** The BLM or the BIA has approved _____ merger, **name change** or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
- N/A 6. **Federal and Indian Units.** The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on _____.
- N/A 7. **Federal and Indian Communitization Agreements ("CA").** The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on _____.
- N/A 8. **Underground Injection Control ("UIC") Program.** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
- YES 9. Changes have been entered in the **Oil and Gas Information System** for each well listed on 7-26-00.
- YES 10. Changes have been included on the **Monthly Operator Change letter** on 7-26-00.

STATE BOND VERIFICATION

- N/A 1. State Well(s) covered by Bond No. _____.

FEE WELLS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION

- N/A 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond.
- N/A 2. A **copy of this form** has been placed in the **new and former operator's bond files** on _____.
- N/A 3. The **FORMER** operator has requested a release of liability from their bond as of today's date _____? If ^{*} yes, Division response was made to this request by letter dated _____. (see bond file).
- N/A 4. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated _____, of their responsibility to notify all interest owners of this change.
- N/A 5. Bond information added to **RBDMS** on _____.
- N/A 6. Fee wells attached to bond in **RBDMS** on _____.

FILMING

- ____ 1. All attachments to this form have been **microfilmed** on 2.22.01.

FILING

- ____ 1. **Originals/Copies** of all attachments pertaining to each individual well have been filed in each **well file**.
- ____ 2. The **original of this form** has been filed in the operator file and a copy in the old operator file.

COMMENTS

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

FROM: (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134 Phone: 1 (405) 749-1300	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102 Phone: 1 (817) 870-2800
--	--

CA No.				Unit:	RIVER BEND			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: _____ Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: _____
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000138
 - Indian well(s) covered by Bond Number: n/a
 - a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
 - b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008
- The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		8. WELL NAME and NUMBER: SEE ATTACHED
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: SEE ATTACHED
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc.
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

N1095

James D. Abercrombie (405) 749-1300
James D. Abercrombie
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) <u>Edwin S. Ryan, Jr.</u>	TITLE <u>Sr. Vice President - Land Administration</u>
SIGNATURE <i>Edwin S. Ryan, Jr.</i>	DATE <u>7/31/2007</u>

(This space for State use only)

APPROVED *9127107*

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED

AUG 06 2007

DIV. OF OIL, GAS & MINING

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P
4304732038	RBU 6-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732213	RBU 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBU 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBU 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBU 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBU 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBU 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBU 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBU 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBU 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBU 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBU 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBU 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBU 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBU 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBU 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBU 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBU 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBU 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBU 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBU 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBU 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBU 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBU 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBU 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBU 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBU 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBU 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBU 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBU 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBU 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBU 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBU 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBU 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBU 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBU 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBU 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBU 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBU 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBU 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBU 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBU 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBU 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBU 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBU 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBU 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBU 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr_qtr	sec	tpw	rng	lease num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304734702	RBU 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBU 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBU 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBU 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBU 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBU 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBU 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBU 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBU 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBU 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBU 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBU 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBU 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBU 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBU 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBU 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBU 6-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBU 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBU 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBU 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBU 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBU 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBU 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBU 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBU 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBU 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBU 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBU 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBU 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBU 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBU 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBU 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBU 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBU 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBU 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBU 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBU 6-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBU 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBU 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBU 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBU 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBU 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBU 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBU 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBU 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBU 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBU 6-3E	SENE	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SENE	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBU 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBU 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBU 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBU 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBU 6-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBU 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBU 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBU 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBU 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBU 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBU 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBU 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBU 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBU 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBU 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBU 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SENW	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NESW	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NESW	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SESW	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NESW	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

Dominion Exploration & Production, Inc.
Attn: James D. Abercrombie
14000 Quail Springs Parkway, #600
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED
AUG 16 2007
DIV. OF OIL, GAS & MINING